

# Declaration of Performance

in accordance with Annex V of Regulation No. 305/2011



date of issue: 15.09.2014

revised: 01.06.2015

last printed: 17.06.2015

Number

**No. 6204\_001-CPR 2013 / 05 / 12**

Unique identification code of the product-type

**PAVATEX DB 28**

Type, batch or serial number or other identifying mark to identify the construction product

**Batch N°. as shown on the label and on the product**

Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification

**Plastic and elastomer membranes**

**Air tightness for buildings**

Name, registered trade name or registered trade mark and contact address of the manufacturer

**Pavatex SA**

**Route de la Pisciculture 37**

**1701 Fribourg**

**Switzerland**

Name and contact address of the authorised representative

**not relevant**

System for assessment and verification of constancy of performance of the construction product

**System 3**

**The notified body**

**N° 0432 MPA Erwitte**

**approved the reaction to fire**

**The notified body**

**N° 0799 KIWA TBU Greven**

**approved the water tightness and the**

**water vapour transmission**

Declared performance

Products for buildings: Sealing membranes - Plastic and elastomer membranes in accordance with the harmonised technical specification EN 13984

Title	Performance	Tolerance
Length [m]	50	-
Width [cm]	150	-0.5%, +1.5%
Rectitude [mm/10 lfm]	<75	-
Reaction to fire	E	-
Waterproofing passed at [kPa]	2	-
Specific weight [g/m <sup>2</sup> ]	110	-10%, +10%
Water vapour transmission, sd-value [m]	28	-2, +2
Water vapour resistance after ageing	bestanden/ réussi/passed	-
Maximum tensile force longitudinal / transverse [N/5cm]	180 / 160	-
Elongation longitudinal / transverse [%]	95 / 95	-
Tear resistance longitudinal / transverse [N]	100 / 150	-
Visible defects	keine/ aucun/any	-

# Declaration of Performance

in accordance with Annex V of Regulation No. 305/2011



date of issue: 15.09.2014

revised: 01.06.2015

last printed: 17.06.2015

## No. 6204\_001-CPR 2013 / 05 / 12

Ait tightness	bestanden/ réussi/passed	-
---------------	-----------------------------	---

Cham the 17.06.2015

A handwritten signature in blue ink, appearing to read "V. Brombacher".

**Volker Brombacher**

Head Technology Center

A handwritten signature in black ink, appearing to read "P. Ruedin".

**Pascal Ruedin**

Department Head Products & Systems